

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13033	((250/208.1,214.1,214R) or (348/241,290,278,302,304,307-310) or (257/443,465)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 14:20
L2	35667	(detect\$4 or determin\$4 or calculat\$4) near4 (maximum near (voltage or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:24
L3	227444	("A/D" or "analog-to-digital" or "analog to digital") near (converter or conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:43
L4	64	L1 and L2 and L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:24
L5	667	(330/308).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 14:20
L6	1	(L2 and L3 and L5) not L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:24
L7	22853	(detect\$4 or determin\$4 or calculat\$4) near4 (minimum near (voltage or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 14:25

EAST Search History

L8	17	((L1 or L5) and L3 and L7) not L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:13
L9	27509	integrating near3 circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:13
L10	101	L3 and L7 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:15
L11	34220	level near3 shift	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:16
L12	243	L2 and L3 and L11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 15:16

Interference Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	1	((("A/D" or "analog-to-digital" or "analog to digital") near (converter or conversion) and (level near shift near circuit) and ((detect\$4 or determin\$4 or calculat\$4) near4 (maximum near (voltage or value))))).clm.	US-PGPUB	OR	ON	2007/09/04 16:47
L14	43	((("A/D" or "analog-to-digital" or "analog to digital") near (converter or conversion) and ((detect\$4 or determin\$4 or calculat\$4) near4 (minimum near (voltage or value))))).clm.	US-PGPUB	OR	ON	2007/09/04 16:47